

2D Desktop Barcode Scanner MG-4010







Android



Linux



Product Features

- 1. Read all popular 1D and 2D barcodes
- 2. Read barcodes on screen
- 3. Plug and play, no driver
- 4. Compatible with various operating systems
- 5. IP54 protection rate, solid and reliable

Product Picture









Specification

Mechanical

Weight: 279.5g Cable Length: 2m

Dimension: 97mm x 104mm x 145mm

Performance

Light Source: Red LED
Max Decoding Speed: 3m/s
Resolution: 1280*800

FOV: 70° (tilt), 80° (pitch), 360° rotation

Interface: USB

Electrical

Interface: USB

Input Voltage: DC 5V±5% Startup Current: 380 mA Standby Current: 330 mA Operation Current: 450 mA

Environmental

Operation Temperature: $-20^{\circ}\text{C} \sim +60^{\circ}\text{C} (-4^{\circ}\text{F} \sim 140^{\circ}\text{F})$ Storage Temperature: $-30^{\circ}\text{C} \sim +70^{\circ}\text{C} (-22^{\circ}\text{F} \sim 158^{\circ}\text{F})$

Humidity: 5% ~ 95% (Non-condensing)

Light Level: 0 ~ 100,000 LUX

Reliability

Thermal Shock

High Temp: 70 °C Low Temp: -30 °C Mechanical Shock


Vibration: 8 G r.m.s., from 10 to 500 Hz, 2 hours per axis, 3

axes

Drop: 0.5m drop test

DOF			
Code	Mils	Min Distance	Max Distance
Code 39	5 mils	0 cm	6.0 cm
	13 mils	0 cm	17.0 cm
PDF 417	15 mils	0 cm	6.0 cm
UPC-A	13 mils	0 cm	15.0cm
QR Code	30mils	0 cm	13.0cm

Dimension



Application

This barcode scanner is widely used in supermarket, retail, warehouse, logistics, medical and other fields.









Manufacture

Logistics

Retail,

Express Industry



Tel: 13201633283

Email: olivia@svoton.com

Website:www.svoton.com Add: 97 Changping Road, Shahe Town, Changping District, Beijing, China